

# Sodium Hydroxide (Lye)

- Borate Crosslinked Gel
  - o Guar
  - Borate crosslinker
  - High pH buffer
    - Typically sodium hydroxide

- Pulp and Paper Industry
- Textile Manufacturing
- Soap and Detergents
- Municipal Drinking Water
- Drain Cleaner
- Lutefisk a Norwegian food

## **SAFE-BFH**



950 17th Street • Suite 2000 Denver, CO 80202 303-749-5757

### Safe-BFH-3

High pH Buffer 101090

#### FOR INDUSTRIAL USE ONLY

DOT DESCRIPTION: UN1824, Sodium hydroxide solution, 8, PG II

**GHS PRECAUTIONS:** Wear protective gloves. Wear eye or face protection. Keep only in original container. Wash hands

dlina.

#### DANGER

CORROSIVE TO METALS - Category 1 SKIN IRRITATION - Category 2 SERIOUS EVE DAMAGE - Category 1

SKIN IRRITATION - Category 2
SERIOUS EVE DAMAGE - Cat

#### **HMIS RATINGS**

GHS RESPONSES: Absorb spillage to prevent mater
SKIN: Wash with plenty of soap and water. Take off
and wash it before reuse. If skin irritation occurs: Ge
IN EYES: Rinse cautiously with water for several mi
tact lenses, if present and easy to do. Continue rins
POISON CENTER or physician.

#### HANDLING/STORAGE:

HANDLING: Put on appropriate personal protective tion 8). Do not get in eyes or on skin or clothing. Do mist. Do not ingest. If during normal use the materia ry hazard, use only with adequate ventilation or wea tor. Keep in the original container or an approved al compatible material, kept tightly closed when not in acids. Empty containers retain product residue and not reuse container. Absorb spillage to prevent materials.

**STORAGE:** Store in a corrosion resistant container liner.

HEALTH	0	4-EXTREME
FLAMMABILITY	0	3-SERIOUS 2-MODERATE 1-SLIGHT 0-MINIMAL
REACTIVITY	0	
PERSONAL PROTECTION EQUIPMENT	В	GOGGLES GLOVES



y be corrosive to metals. Causes serious eye dam-

resulting in classification): Do not taste or swallow. andling. Causes digestive tract burns.

on immediately. Call a poison center or physician. Immediof water, occasionally lifting the upper and lower eyelids. contact lenses. Continue to rinse for at least 10 minutes. ated promptly by a physician.

attention immediately. Call a poison center or physician. ash out mouth with water. Stop if the exposed person feels ngerous. See SDS for detailed information.

al attention immediately. Call a poison center or physician. 
Ind keep at rest in a position comfortable for breathing. If it is 
ill present, the rescuer should wear an appropriate mask or 
paratus. See SDS for detailed information.

n immediately. Call a poison center or physician. Flush conf water. Remove contaminated clothing and shoes. Wash uighly with water before removing it, or wear gloves. Continiutes. Chemical burns must be treated promptly by a physician shoes thoroughly before reuse.

CONTENTS: Sodium hydroxide

PERS 24-Hour Emergency Contact: DOMESTIC SHIPMENTS: 800-633-8253 / INTERNATIONAL SHIPMENTS: 801-629-0667

1310-73-2